


CC 33100 Series




All Dimensions in mm

Ordering Information					
Part Number	Tab Type	number of holes	Plating Code	Qty per Reel	Wind Style
CC331	0	1 to 5	4A	40K (E)	5 to 8
CC331	1	1 to 5	4A	40K (E)	5 to 8

Technical Information			MOQ
Material Thickness	Stand Off Dim XX	Pin Length	
0.25	1.20	12.26	480,000
0.25	1.20	12.26	480,000

CC 34300 Series




All Dimensions in mm

Ordering Information					
Part Number	Tab Type	number of holes	Plating Code	Qty per Reel	Wind Style
CC343	0	1 to 5	4A	40K (E)	5 to 8
CC343	1	1 to 5	4A	40K (E)	5 to 8

Technical Information			MOQ
Material Thickness	Stand Off Dim XX	Pin Length	
0.25	1.78	12.26	500,000
0.25	1.78	12.26	500,000

CC 1100 Series



All Dimensions in mm


Ordering Information

Part Number	Tab Type	number of holes	Plating Code	Qty per Reel	Wind Style
CC110	0	1 to 6	4A	40K (E)	5 to 8
CC110	1	1 to 6	4A	40K (E)	5 to 8

Technical Information

Material Thickness	Stand Off Dim XX	Pin Length	MOQ
0.25	1.65	12.00	480,000
0.25	1.65	12.00	480,000

CC 22100 Series



All Dimensions in mm

Ordering Information

Part Number	Top Bar Dim T	Bottom Bar Dim B	Plating Code	Qty per Reel	Wind Style
CC22100	0.9 (UC)	3.30 (BN)	4A	50K (F)	5 to 8
CC22100	0.9 (UC)	5.84 (BO)	4A	50K (F)	5 to 8
CC22100	0.9 (UC)	5.81 (BT)	4A	50K (F)	5 to 8
CC22100	0.9 (UC)	None (BZ)	4A	50K (F)	5 to 8

Technical Information

Material Thickness	Stand Off Dim XX	Pin Length	MOQ
0.25	8.45	2.20	480,000
0.25	8.45	2.20	480,000
0.25	8.45	2.20	480,000
0.25	8.45	2.20	480,000